

IN THE CLAIMS:

Please amend the claims as indicated below.

1. (Cancelled)

5

2. (Currently Amended) The method of claim ~~1~~ 4, further comprising the step of allowing said software component to access an external environment only through said output port.

10

3. (Currently Amended) The method of claim ~~1~~ 4, further comprising the step of allowing a client to access said software component only through said input port.

4. (Currently Amended) A method for programming a software component, said method comprising the steps of:

15

defining properties of said software component, including at least one input port and at least one output port; ~~and~~

providing a software mechanism for instantiating said software component; and

20

utilizing an attach command to attach at least one of said at least one input port to a class.

5. (Cancelled)

6. (Cancelled)

25

7. (Cancelled)

8. (Withdrawn) A method for posting a message to a group, said method comprising the steps of:

30

defining properties of at least one software component, including at least one input port and at least one output port;

registering said software component with said group; and
providing a message posted to said group to each of the software
components that have registered with said group.

5 9. (Cancelled)

10 10. (Currently Amended) The system of claim 9 12, wherein said
processor is further configured to allow said software component to access an external
environment only through said output port.

11. (Currently Amended) The system of claim 9 12, wherein said
processor is further configured to allow a client to access said software component only
through said input port.

15 12. (Currently Amended) A system for programming a software
component, said system comprising:

a memory that stores computer-readable code; and

a processor operatively coupled to said memory, said processor configured
to implement said computer-readable code, said computer-readable code configured to:

20 define properties of said software component, including at least one input
port and at least one output port; ~~and~~

provide a software mechanism for instantiating said software component;

and

utilize an attach command to attach at least one of said at least one input
25 port to a class.

13. (Cancelled)

14. (Cancelled)

15. (Cancelled)

16. (Withdrawn) A system for posting a message to a group, said system comprising:

a memory that stores computer-readable code; and
5 a processor operatively coupled to said memory, said processor configured to implement said computer-readable code, said computer-readable code configured to:
define properties of at least one software component, including at least one input port and at least one output port;
register said software component with said group; and
10 provide a message posted to said group to each of the software components that have registered with said group.

17. (Cancelled)

15 18. (Currently Amended) An article of manufacture for programming a software component, said system comprising:

a computer readable medium having computer readable code means embodied thereon, said computer readable program code means comprising:

20 a step to define properties of said software component, including at least one input port and at least one output port; ~~and~~

a step to provide a software mechanism for instantiating said software component; and

a step to utilize an attach command to attach at least one of said at least one input port to a class.

25 19. (Cancelled)

20. (Withdrawn) An article of manufacture for posting a message to a group, said system comprising:

30 a computer readable medium having computer readable code means embodied thereon, said computer readable program code means comprising:

a step to define properties of at least one software component, including at least one input port and at least one output port;

a step to register said software component with said group; and

a step to provide a message posted to said group to each of the software
5 components that have registered with said group.